

NULLA

Davide Groppi / 2010

An extreme expression of subtraction, uniting optics and electronics as an answer to the ultimate challenge: the absence of structural support and the essence of light.

Nulla is a project that represents both the beginning and end of our work on light. It's the beginning, in the sense that we have always been looking for absolute light, one coming from a distance, almost without a source. It's the end in that every time we look at Nulla, we feel as though we can't get it better than that.

Nulla generates light and propagates mystery. Nulla is the most generous of our lamps. Its sole objective is to hide and give all the attention to whatever it is lighting. What we see is only a tiny black hole, as if it were drawn on the ceiling.

A circle in the ceiling hiding a very bright LED and lens to project the light.

XXIII Compasso d'Oro ADI Award, 2014

Un lavoro estremo di sottrazione, che unisce elettronica e l'ottica verso la sfida finale: l'assenza del supporto e l'essenza della luce.

Nulla è un progetto che rappresenta l'inizio e la fine del nostro lavoro sulla luce. L'inizio perché da sempre cerchiamo la luce assoluta, quella che arriva da lontano, quasi senza fonte. La fine perché ogni volta che guardiamo Nulla ci sembra di non potere andare più avanti di così. Nulla genera luce e diffonde mistero. È la più generosa delle nostre lampade, quella che si nasconde al solo scopo di regalare la scena al soggetto illuminato. Ciò che appare è solo un minuscolo buco nero, quasi disegnato.

Un foro nel soffitto, un LED potentissimo e una lente che generano la luce.


Premio XXIII Premio Compasso d'Oro ADI, 2014



Recessed / Direct / Indoor

Material Metal
Finish .00 Standard

Note Luminaire with Extradark comfort system - NULLA and NULLA 18: visible hole \varnothing 18 mm - NULLA 25: visible hole \varnothing 25 mm - NULLA 18 and NULLA 25: luminaire removable for maintenance.
Apparecchio dotato di Extradark comfort system - NULLA e NULLA 18: foro visibile \varnothing 18 mm - NULLA 25: foro visibile \varnothing 25 mm - NULLA 18 e NULLA 25: apparecchio estraibile per manutenzione.




NULLA - BEAM 23°

14W
 24V DC
 2700K - 425lm / 3000K - 458lm
 Beam 23°
 CRI >90
 UGR <19
 Driver not included
 CE IP20/IP65

Standard - 2700K
 Standard - 3000K

1A4100000.27.20
 1A4100000.30.20



NULLA - BEAM 32°

14W
 24V DC
 2700K - 538lm / 3000K - 579lm
 Beam 32°
 CRI >90
 UGR <19
 Driver not included
 CE IP20/IP65

Standard - 2700K
 Standard - 3000K

1A2110000.27.20
 1A2110000.30.20



NULLA 18 - BEAM 20°

4,5W
 24V DC
 2700K - 174lm / 3000K - 186lm
 Beam 20°
 CRI >90
 UGR <19
 Driver not included
 CE IP20

Standard - 2700K
 Standard - 3000K

1A2010000.27.20
 1A2010000.30.20

The sizes are expressed in millimeters.



NULLA 25 - BEAM 23°

9W
 24V DC
 2700K - 304lm / 3000K - 327lm
 Beam 23°
 CRI >90
 UGR <19
 Driver not included
 CE IP20/IP65

Standard - 2700K
 Standard - 3000K

1A4080000.27.20
 1A4080000.30.20



NULLA 25 - BEAM 32°

9W
 24V DC
 2700K - 384lm / 3000K - 413lm
 Beam 32°
 CRI >90
 UGR <19
 Driver not included
 CE IP20/IP65

Standard - 2700K
 Standard - 3000K


1A2020000.27.20
 1A2020000.30.20

Compulsory accessories / Accessori obbligatori


Installation kit / Kit installazione



Plasterboard flange 12,5 mm / Flangia per cartongesso 12,5 mm Not included			
Matt Black	Cut-out Ø 21 mm - Minimum space for mounting 100 mm - IP65	NULLA	1A2200400.00.00



Plasterboard flange 12,5 mm / Flangia per cartongesso 12,5 mm Not included			
Matt Black	Cut-out Ø 22 mm - Minimum space for mounting 190 mm	NULLA 18	1A2210400.00.00



Plasterboard flange 12,5 mm / Flangia per cartongesso 12,5 mm Not included			
Matt Black	Cut-out Ø 35 mm - Minimum space for mounting 190 mm	NULLA 25	1A2170400.00.00




Plasterboard flange 12,5 mm / Flangia per cartongesso 12,5 mm Not included			
Matt Black	Cut-out Ø 35 mm - Minimum space for mounting 190 mm - IP65	NULLA 25	1A3980400.00.00




Plasterboard flange (bottom) 12,5 mm / Flangia (da sotto) per cartongesso 12,5 mm Not included			
Matt Black		NULLA 25	1A4960400.00.00


Electrical power supply / Alimentazione elettrica



Driver LED Not included			
220-240V	24V/20W/IP20/TRIAC/IGBT	NULLA / NULLA 18 / NULLA 25	1Z0240850.24



Driver LED Not included			
220-240V(100-127V)	24V/16W(15W)/IP20/DALI	NULLA / NULLA 18 / NULLA 25	1Z0241180.24



Driver LED Not included			
220-240V(100-127V)	24V/20W(15W)/IP20/PUSH	NULLA / NULLA 18 / NULLA 25	1Z0240870.24


The sizes are expressed in millimeters.

Optional accessories / Accessori opzionali


Installation kit / Kit installazione




Trapdoor for plasterboard 12,5 mm / Botola per cartongesso 12,5 mm Not included			
Standard	Cut-out 200 x 200 mm	NULLA	1A3780000.00.00




Trapdoor for plasterboard 12,5 mm / Botola per cartongesso 12,5 mm Not included			
Standard	Cut-out 400 x 400 mm	NULLA	1A3790000.00.00




Masonry Box / Cassaforma per laterizio Not included			
	Dimensions 189 x 445 mm	NULLA 18	1A2390000.00.00



Concrete box / Cassaforma per cemento armato Not included			
	Dimensions 189 x 445 mm	NULLA 18	1A2240000.00.00



Masonry Box / Cassaforma per laterizio Not included			
	Dimensions 189 x 445 mm	NULLA 25	1A2380000.00.00



Concrete box / Cassaforma per cemento armato Not included			
	Dimensions 189 x 445 mm	NULLA 25	1A2230000.00.00



NULLA