



Absolute freedom, absolute spatiality, absolute creativity.
An adhesive tape that conducts electricity can be placed anywhere on walls and ceilings to power our lighting projects.

Endless is the system created and patented by our Team in order to transport electric energy in a digital and graphic manner.


It's the idea of considering walls and ceilings like electronic circuits, where luminaires can be done fixed freely and easily. This system comes with various accessories to provide and manage the flow of electricity.

Libertà assoluta, spazialità assoluta, creatività assoluta.
Un nastro conduttore e adesivo che può essere disposto a piacimento su pareti e soffitti per alimentare i nostri modelli.


Endless è il sistema ideato e brevettato dal nostro Team per portare "differenza di potenziale" dove si desidera in modo grafico e digitale.

È l'idea di considerare le pareti e i soffitti come circuiti elettronici per posizionare gli apparecchi illuminanti con la massima libertà. Il sistema è dotato di vari accessori di alimentazione e derivazione.


ENDLESS




Remote power supply kit for Endless ON/OFF system




Wall and ceiling rose kit for Endless ON/OFF system




Power supply kit with plug for Endless ON/OFF system




Remote power supply kit for Endless dimmable system



Wall and ceiling rose kit for Endless dimmable system




Power supply kit with plug for Endless dimmable system



Systems / Diffuse-Direct-Indirect / Indoor

Material Metal
Finish **.03** Matt White **.04** Matt Black **.08** Brushed Brass **.26** Total Black


Note Conductive strip that can be applied to walls, ceilings and windows - Possibility of connecting multiple devices simultaneously - Maximum absorption 4A.
Nastro conduttore applicabile a pareti, soffitti e vetrate - Possibilità di collegare più apparecchi contemporaneamente - Assorbimento max 4A.



MIRA ENDLESS

7,5W
 48V DC
 2700K - 327lm / 3000K - 352lm
 CRI >90
 Driver not included


Matt White - 2700K - ENDLESS	1A2280300.27.40
Matt White - 3000K - ENDLESS	1A2280300.30.40
Matt Black - 2700K - ENDLESS	1A2280400.27.40
Matt Black - 3000K - ENDLESS	1A2280400.30.40



MIRA ENDLESS CASAMBI

8,5W
 48V DC
 2700K - 327lm / 3000K - 352lm
 CRI >90
 Driver not included
 CASAMBI


Matt White - 2700K - ENDLESS - CASAMBI	1A2280300.27.41
Matt White - 3000K - ENDLESS - CASAMBI	1A2280300.30.41
Matt Black - 2700K - ENDLESS - CASAMBI	1A2280400.27.41
Matt Black - 3000K - ENDLESS - CASAMBI	1A2280400.30.41



DOT P ENDLESS

13W
 48V DC
 2700K / 3000K
 CRI 97
 Driver not included


Matt White - 2700K - ENDLESS	1A2340300.27.40
Matt White - 3000K - ENDLESS	1A2340300.30.40
Matt Black - 2700K - ENDLESS	1A2340400.27.40
Matt Black - 3000K - ENDLESS	1A2340400.30.40



DOT P ENDLESS CASAMBI

15,5W
 48V DC
 2700K / 3000K
 Driver not included
 CASAMBI


Matt White - 2700K - ENDLESS - CASAMBI	1A2340300.27.41
Matt White - 3000K - ENDLESS - CASAMBI	1A2340300.30.41
Matt Black - 2700K - ENDLESS - CASAMBI	1A2340400.27.41
Matt Black - 3000K - ENDLESS - CASAMBI	1A2340400.30.41



SPOT ENDLESS

Max 13W
 48V DC
 Driver not included
 LED Module not included


Matt White - ENDLESS	1A1080300.00.40
Matt Black - ENDLESS	1A1080400.00.40



SPOT ENDLESS CASAMBI

Max 15,5W
 48V DC
 Driver not included
 CASAMBI
 LED Module not included

Matt White - ENDLESS - CASAMBI	1A1080300.00.41
Matt Black - ENDLESS - CASAMBI	1A1080400.00.41



REFLEX

23W
 48V DC
 2700K - 2158lm / 3000K - 2320lm
 CRI >90
 Driver not included


Matt Black - 2700K	1A0850400.27.20
Matt Black - 3000K	1A0850400.30.20



MISS ENDLESS

6,3W
48V DC
2700K - 290lm / 3000K - 310lm
CRI >90
Driver not included

Matt White - 2700K - ENDLESS	1A2960300.27.40
Matt White - 3000K - ENDLESS	1A2960300.30.40
Matt Black - 2700K - ENDLESS	1A2960400.27.40
Matt Black - 3000K - ENDLESS	1A2960400.30.40
Brushed Brass - 2700K - ENDLESS	1A2960800.27.40
Brushed Brass - 3000K - ENDLESS	1A2960800.30.40
Total Black - 2700K - ENDLESS	1A2962600.27.40
Total Black - 3000K - ENDLESS	1A2962600.30.40





CATHODE ENDLESS

6,3W
48V DC
2700K - 264lm / 3000K - 284lm
CRI >90
Driver not included

Matt White - 2700K - ENDLESS	1A2980300.27.40
Matt White - 3000K - ENDLESS	1A2980300.30.40
Brushed Brass - 2700K - ENDLESS	1A2980800.27.40
Brushed Brass - 3000K - ENDLESS	1A2980800.30.40

Compulsory accessories / Accessori obbligatori

Installation kit / Kit installazione



Strip Endless - 5m			Not included
Matt White	Output 48V - Max 150W - Max 4A	1A3470300.00.00	
Matt Black	Output 48V - Max 150W - Max 4A	1A3470400.00.00	

Strip Endless - 10m			Not included
Matt White	Output 48V - Max 150W - Max 4A	1A0050300.00.00	
Matt Black	Output 48V - Max 150W - Max 4A	1A0050400.00.00	

Fixing rough walls kit / Kit fissaggio pareti ruvide			Not included
	Lenght 2,5m	1A0370000.00.00	


Terminal box / Box morsetti			Not included
Matt White	2 Terminals included	1A3480300.00.00	
Matt Black	2 Terminals included	1A3480400.00.00	

Power base / Base alimentazione			Not included
Matt White		1A0030300.00.00	
Matt Black		1A0030400.00.00	


Terminals / Morsetti			Not included
	2 Pieces	1A3490000.00.00	

Compulsory accessories / Accessori obbligatori


LED modules / Moduli LED



DG111 LED Module / Modulo LED DG111		Not included	
11,7W - 15° - 350mA DC - 2700K - 1336lm - CRI 90 - Energy Efficiency F - Dimmable	SPOT ENDLESS	1A4700000.27.20	
11,7W - 15° - 350mA DC - 3000K - 1364lm - CRI 90 - Energy Efficiency F - Dimmable		1A4700000.30.20	




DG111 LED Module / Modulo LED DG111		Not included	
11,7W - 22° - 350mA DC - 2700K - 1266lm - CRI 90 - Energy Efficiency F - Dimmable	SPOT ENDLESS	1A3900000.27.20	
11,7W - 22° - 350mA DC - 3000K - 1323lm - CRI 90 - Energy Efficiency F - Dimmable		1A3900000.30.20	



DG111 LED Module / Modulo LED DG111		Not included	
11,7W - 36° - 350mA DC - 3000K - 1578lm - CRI 90 - Energy Efficiency F - Dimmable	SPOT ENDLESS	1A3890000.30.20	
11,7W - 36° - 350mA DC - 2700K - 1508lm - CRI 90 - Energy Efficiency F - Dimmable		1A3890000.27.20	

Other accessories / Altri accessori




Lens / Lente		Not included	
Beam - 14°	2700K - CRI 97 - 983lm 3000K - CRI 97 - 1038lm	DOT P ENDLESS	1A3090000.00.00
Beam - 24°	2700K - CRI 97 - 943lm 3000K - CRI 97 - 996lm	DOT P ENDLESS	1A3100000.00.00
Beam - 36°	2700K - CRI 97 - 955lm 3000K - CRI 97 - 1005lm	DOT P ENDLESS	1A3110000.00.00
Beam - 50°	2700K - CRI 97 - 965lm 3000K - CRI 97 - 1016lm	DOT P ENDLESS	1A3120000.00.00


The sizes are expressed in millimeters.

Compulsory accessories / Accessori obbligatori


Electrical power supply for ENDLESS ON/OFF system and CASAMBI / Alimentazione elettrica per sistema ENDLESS ON/OFF e CASAMBI




Power supply kit with plug / Kit alimentazione con spina		Not included	
Matt White	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - ON/OFF	1A1330300.00.00	
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - ON/OFF	1A1330400.00.00	



Wall/ceiling power supply kit / Kit alimentazione parete/soffitto/remoto		Not included	
Matt White	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - ON/OFF	1A2450300.00.00	
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - ON/OFF	1A2450400.00.00	




Power supply kit with plug / Kit alimentazione con spina		Not included	
Matt White	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - ON/OFF	1A0260300.00.00	
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - ON/OFF	1A0260400.00.00	




Wall/ceiling power supply kit / Kit alimentazione parete/soffitto/remoto		Not included	
Matt White	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - ON/OFF	1A1020300.00.00	
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - ON/OFF	1A1020400.00.00	

Electrical power supply for ENDLESS dimmable system / Alimentazione elettrica per sistema ENDLESS dimmerabile




Power supply kit with plug / Kit alimentazione con spina		Not included	
Matt White	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - Dimmer on board	1A1340300.00.06	
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - Dimmer on board	1A1340400.00.06	




Wall/ceiling power supply kit / Kit alimentazione parete/soffitto		Not included	
Matt White	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - DALI - PUSH - 1-10V	1A4090300.00.07	
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 60W - IP20 - DALI - PUSH - 1-10V	1A4090400.00.07	

Compulsory accessories / Accessori obbligatori

Electrical power supply for ENDLESS dimmable system / Alimentazione elettrica per sistema ENDLESS dimmerabile




Power supply kit with plug / Kit alimentazione con spina		Not included
Matt White	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - Dimmer on board	1A1800300.00.06
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - Dimmer on board	1A1800400.00.06




Wall/ceiling power supply kit / Kit alimentazione parete/soffitto		Not included
Matt White	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - DALI - PUSH - 1-10V	1A1810300.00.07
Matt Black	Input 100-240V - 50/60Hz - Output 48V - 150W - IP20 - DALI - PUSH - 1-10V	1A1810400.00.07


Electrical power supply for ENDLESS remote system / Alimentazione elettrica per sistema ENDLESS remoto



Driver LED		Not included
100-240V	48V/60W/IP67/ON/OFF	1Z1120640



Driver LED		Not included
100-240V	48V/150W/IP67/1-10V	1Z1120250




Controller		Not included
Matt Black	DALI - PUSH - 0/1-10V - TRIAC - IP20	1Z2170010


The sizes are expressed in millimeters.

Optional accessories / Accessori opzionali


Other accessories / Altri accessori



Horizontal directional fins / Alette direzionali		Not included
Matt Black	SPOT ENDLESS	1X0070400.01.00



Cylindrical screen / Schermo cilindrico		Not included
Matt Black	SPOT ENDLESS	1X0070400.02.00



Cone 45° / Cono 45°		Not included
Matt Black	SPOT ENDLESS	1X0070400.03.00



Accessory holder + Soft filter + Honeycomb louvre / Porta accessori + Filtro soft + Frangiluca nido d'ape		Not included
Matt Black	SPOT ENDLESS	1X0070400.04.00




Accessory holder + Elliptical filter / Porta accessori + Filtro ellittico		Not included
Matt Black	SPOT ENDLESS	1X0070400.05.00



Blue filter / Filtro blu		Not included
Standard	SPOT ENDLESS	1X0070000.06.00



Red filter / Filtro rosso		Not included
Standard	SPOT ENDLESS	1X0070000.07.00



Yellow filter / Filtro giallo		Not included
Standard	SPOT ENDLESS	1X0070000.08.00


Integrated products with ENDLESS system / Prodotti compatibili con il sistema ENDLESS - Absorption Max 3,125 A

		Wattage	Ampere (A)
Power Kit:			
1A133XX00.00.00	Power supply kit with plug - 48V - Not dimmable	60	Max 1,25
1A245XX00.00.00	Wall ceiling rose kit - Remote - 48V - Not dimmable Power supply kit with plug - 48V - Dimmable	60	Max 1,25
1A134XX00.00.06	Wall ceiling rose kit - 48V - DALI - PUSH - 1-10V Dimmable	60	Max 1,25
1A409XX00.00.07	Remote driver - 48V - Not dimmable	60	Max 1,25
1Z1120640	Power supply kit with plug - 48V - Not dimmable	150	Max 3,125
1A026XX00.00.00	Wall ceiling rose kit - Remote - 48V - Not dimmable	150	Max 3,125
1A102XX00.00.00	Power supply kit with plug - 48V - Dimmable	150	Max 3,125
1A180XX00.00.06	Wall ceiling rose kit - 48V - DALI - PUSH - 1-10V Dimmable	150	Max 3,125
1A181XX00.00.07	Remote driver - 48V - 1-10V Dimmable	150	Max 3,125
1Z1120250			


		Wattage	Ampere (A)
Elements:			
1A2980300.27.40	CATHODE - Matt White - 2700K - ENDLESS	5,5	0,14
1A2980300.30.40	CATHODE - Matt White - 3000K - ENDLESS	5,5	0,14
1A2980800.27.40	CATHODE - Brushed Brass - 2700K - ENDLESS	5,5	0,14
1A2980800.30.40	CATHODE - Brushed Brass - 3000K - ENDLESS	5,5	0,14
1A2340300.27.40	DOT P - Matt White - 2700K - ENDLESS	13	0,34
1A2340300.30.40	DOT P - Matt White - 3000K - ENDLESS	13	0,34
1A2340400.27.40	DOT P - Matt Black - 2700K - ENDLESS	13	0,34
1A2340400.30.40	DOT P - Matt Black - 3000K - ENDLESS	13	0,34
1A2340300.27.41	DOT P - Matt White - 2700K - ENDLESS - CASAMBI	15,5	0,4
1A2340300.30.41	DOT P - Matt White - 3000K - ENDLESS - CASAMBI	15,5	0,4
1A2340400.27.41	DOT P - Matt Black - 2700K - ENDLESS - CASAMBI	15,5	0,4
1A2340400.30.41	DOT P - Matt Black - 3000K - ENDLESS - CASAMBI	15,5	0,4
1A2280300.27.40	MIRA - Matt White - 2700K - ENDLESS	6	0,16
1A2280300.30.40	MIRA - Matt White - 3000K - ENDLESS	6	0,16
1A2280400.27.40	MIRA - Matt Black - 2700K - ENDLESS	6	0,16
1A2280400.30.40	MIRA - Matt Black - 3000K - ENDLESS	6	0,16
1A2280300.27.41	MIRA - Matt White - 2700K - ENDLESS - CASAMBI	8,5	0,22
1A2280300.30.41	MIRA - Matt White - 3000K - ENDLESS - CASAMBI	8,5	0,22
1A2280400.27.41	MIRA - Matt Black - 2700K - ENDLESS - CASAMBI	8,5	0,22
1A2280400.30.41	MIRA - Matt Black - 3000K - ENDLESS - CASAMBI	8,5	0,22
1A2960300.27.40	MISS - Matt White - 2700K - ENDLESS	5,5	0,14
1A2960300.30.40	MISS - Matt White - 3000K - ENDLESS	5,5	0,14
1A2960400.27.40	MISS - Matt Black - 2700K - ENDLESS	5,5	0,14
1A2960400.30.40	MISS - Matt Black - 3000K - ENDLESS	5,5	0,14
1A2960800.27.40	MISS - Brushed Brass - 2700K - ENDLESS	5,5	0,14
1A2960800.30.40	MISS - Brushed Brass - 3000K - ENDLESS	5,5	0,14
1A2962600.27.40	MISS - Matt Total Black - 2700K - ENDLESS	5,5	0,14
1A2962600.30.40	MISS - Matt Total Black - 3000K - ENDLESS	5,5	0,14

Integrated products with ENDLESS system / Prodotti compatibili con il sistema ENDLESS - Absorption Max 3,125 A


		Wattage	Ampere (A)
Elements:			
1A0850400.27.20	REFLEX - Matt Black - 2700K - ENDLESS	23	0,57
1A0850400.30.20	REFLEX - Matt Black - 3000K - ENDLESS	23	0,57
1A1080300.00.40	SPOT - Matt White - ENDLESS	13	0,34
1A1080400.00.40	SPOT - Matt Black - ENDLESS	13	0,34
1A1080300.00.41	SPOT - Matt White - ENDLESS - CASAMBI	15,5	0,4
1A1080400.00.41	SPOT - Matt Black - ENDLESS - CASAMBI	15,5	0,4




MISS ENDLESS - Installation with Endless and remote power supply kit




CATHODE ENDLESS - Installation with Endless and power supply kit with plug



REFLEX - Installation with Endless and power supply kit with plug



REFLEX - Installation with Endless and wall and ceiling rose kit



REFLEX - Installation with Endless and remote power supply kit